

Our History

Shure dates back to 1910 when Richard C. Richardson and a partner operated an architectural sheet metal workshop in St. Louis, MO. In 1920, Richard's son, Joseph A. Richardson, joined his father as a sheet metal craftsman. He later became a registered professional engineer and industry leader.


In the early 1930's, Joe joined Anheuser-Busch where he worked on the fabrication of metal ice cream cabinets and beer dispensing boxes. In 1938, Joe and a friend leased a Texaco service station. The business taught Joe how to best merchandise and sell tires, batteries, accessories and automotive service. The sideline business later formed the basis for the direction of Shure Manufacturing Corporation.

In December 1941, Joe joined with Samuel J. Shure in St. Louis to start a metal shop. As World War II began, the company focused on war related products such as airplane parts, fire extinguishers and stove cabinets. After the war, Joe relied on his automotive experience and was asked to assist another

St. Louis company in filling a contract for General Motors. Samuel and Joe were given an order to manufacture high-quality, enamel finished workbenches, cabinets, merchandise displays and desks.

Eventually, Shure began to assist national accounts, such as Shell Oil, Texaco, Conoco, Firestone and Chrysler to supply retail sales and shops with productive and image related merchandising furniture fixtures and cabinetry. Shure supported and continues to support independent automotive and equipment distributors, as well as national account programs.

While Shure's focus on the automotive industry has not changed, the industry has changed dramatically. Through the years, Shure's product lines have developed and expanded into new markets, to include a full line of workbench systems, storage cabinets, tool storage cabinets, cart systems, tire service equipment and various shop equipment, as well as shelving and storage solutions.



JOSEPH A. RICHARDSON

As a third generation family owned and operated company, Shure's personal touch continues to be the hallmark for customer interaction.

ShureSAFE® products help manage high-risk situations, protect assets & are designed for both interior & exterior sites. Shure's extensive line of secure transaction products range from UL® approved bullet resistant drawers to deal trays & communication systems.

Shure's state-of-the-art manufacturing facility features high-tech laser precision cutting equipment & computerized fabrication equipment. Along with secure transaction products, secure case work cabinetry, shelving & storage cabinets, Shure also engineers & manufactures high-quality professional workbenches, tool storage & various shop equipment.

Contact Shure with your custom fabricated requirement.

ShureSAFE® Products Are Utilized In Numerous Industries & Markets Such As:

- Government Federal, State, Local
 Correctional Facilities
 Law Enforcement
- Weapons Transfer Pharmacies Convenience Stores Fuel Kiosks Fast Food Restaurants
- Department Stores / Retail Financial Facilities Banking Industry Check Cashing Centers
- Loan Centers 24 Hour Facilities Schools, Colleges & Universities Ticket Windows

Visit Us At...

www.ShureSAFE.com







Chality HAND CRAFTSMANSHIP

STATE-OF-THE-ART EQUIPMENT & ENGINEERING CUSTOM ENGINEERED SOLUTIONS ENGINEERING FACILITY LAYOUT & CUSTOMIZATION 3D DESIGN MANUFACTURING





FOR CAD & SPECIFIC DETAILS, PLEASE VISIT WWW.SHURESAFE.COM







UL® Approved Security Drawers & Extended Security Drawers Are Ideal Solutions For Pharmacies, Convenience Stores, Correctional Facilities, Financial Facilities, Check Cashing / Loan Centers, Law Enforcement & Government Facilities



- Removable Deal Tray Exposes Large Transfer Area For Transferring Currency Bags, Gallon-Sized Containers & Bulky Objects
- Self-Opening & Closing Transaction Area Cover Prevents Simultaneous Customer & Operator Access
- Restricts Outside Airflow & External Environment Penetration
- Built-In Speaker Compatible With Pre-Existing Commercial Intercom Systems
- Designed For Installation In Up To 4 1/2" Thick Walls
- UL® Approved Level 3 Bullet Resistance

MODEL #	Overall Dimensions	Frame Face	Transfer Area	WALL OPENING	WEIGHT (LBS)
SPT330	24"W x 28"D x 10"H	26"W x 11 1/16"H	13 1/2"W x 16"D x 6"H	24 1/4"W x 10 1/4"H	120 +/-
SPT331	24"W x 28"D x 10"H	26"W x 11 1/16"H	13 1/2"W x 16"D x 6"H	24 1/4"W x 10 1/4"H	128 +/-
SPT333	24"W x 28"D x 10"H	26"W x 11 1/16"H	13 1/2"W x 16"D x 6"H	24 1/4"W x 10 1/4"H	138 +/-



Extended Security Drawers



- Extended Version Of Model #SPT330 Security Drawer
- Removable Deal Tray To Expose Larger Transfer Area For Transferring Currency Bags, Gallon-Sized Containers & Bulky Objects
- Self-Opening & Closing Transaction Area Cover Prevents Simultaneous Customer & Operator Access
 Restricts Outside Airflow & External Environment Penetration
 Built-In Speaker Compatible With Pre-Existing Commercial Intercom Systems

- Designed For Installation In Up To 8" Thick Walls
- UL® Level 3 Bullet Resistant Faceplate Insert

MODEL #	OVERALL DIMENSIONS	FRAME FACE	Transfer Area	WALL OPENING	WEIGHT (LBS)
SPT217	24"W x 31"D x 10"H	26"W x 11 1/16"H	13 1/2"W x 19"D x 6"H	24 1/4"W x 10 1/4"H	140 +/-
SPT218	24"W x 31"D x 10"H	26"W x 11 1/16"H	13 1/2"W x 19"D x 6"H	24 1/4"W x 10 1/4"H	147 +/-
SPT219	24"W x 31"D x 10"H	26"W x 11 1/16"H	13 1/2"W x 19"D x 6"H	24 1/4"W x 10 1/4"H	158 +/-

T-Wall Series Drawers Are An Ideal Solution For Pharmacies, Convenience Stores, Correctional Facilities, Law Enforcement, Financial Facilities, Fast Food Restaurants & Government Facilities



MODEL #SPT198



MODEL #SPT150



MODEL #SPT160



- Economical Security Solution For Cashier & Ticket Windows, Administrative, Retail & Convenience Store Environments, Outdoor Payment Kiosks & Other Point-of-Sale Contacts
- Suitable For Walk-Up / Drive-Thru Applications In Interior & Exterior Environments
- Designed With An Extending Tray Housing For Installation Through Walls, In Counter Tops With A Window Above, In Kiosks Or Through Other Window / Wall Arrangements
- Full-Length Removable Deal Tray For Document, Cash, Credit & Small Transactions
- Removing The Deal Tray Allows For Large Items To Be Transferred
- Model #SPT-FR101 Is Certified At 45 Minutes Through A Fire Rated Wall
- Model #SPT160 Has A Double-Hinged Lid That Prevents Simultaneous Customer & Operator Access To The Transfer Area
- Models #SPT350 & SPT354 Include A Removable Deal Tray Insert & Currency Clip
- Model #SPT198, #SPT-FR101, #SPT150, #SPT160 & #SPT354 Are Designed For Installation In Up To 8" Thick Walls
- Model #SPT350 Is Designed For Installation In Up To 4 1/2" Thick Walls
- Optional Accessory For Model #SPT198: Free-Standing Cup Holder Model #SPT199
- All Models Include A UL® Level 3 Bullet Resistant Faceplate Insert

Model #	Overall Dimensions	FRAME FACE	Transfer Area	WALL OPENING	WEIGHT (LBS)
SPT198	18"W x 25"D x 9"H	21 3/8"W x 11 1/8"H	13 5/8"W x 17 3/4"D x 7 7/8"H	19 5/8"W x 9 1/2"H	67 +/-
SPT-FR101	18"W x 25"D x 9"H	21 3/8"W x 11 1/8"H	13 5/8"W x 17 3/4"D x 7 7/8"H	19 5/8"W x 9 1/2"H	70 +/-
SPT150	18"W x 25"D x 9"H	21 3/8"W x 8"H	13 3/4"W x 20"D x 4 1/8"H	19 5/8"W x 6 1/4"H	60 +/-
SPT160	18"W x 25"D x 9"H	21 3/8"W x 8"H	13 3/4"W x 18 1/2"D x 2 3/4"H	19 5/8"W x 6 1/4"H	62 +/-
SPT350	12"W x 16 3/4"D x 3 3/4"H	14"W x 5 3/4"H	9 1/2"W x 5 1/2"D x 1 7/8"H	12 1/4"W x 4"H	24 +/-
SPT354	12"W x 24"D x 3 3/4"H	14"W x 5 3/4"H	9 1/2"W x 8 1/16"D x 1 7/8"H	12 1/4"W x 4"H	44 +/-

ER Series Drawers Are Ideal Solutions For Pharmacies, Convenience Stores, Correctional Facilities, Financial Facilities, Fast Food Restaurants & Government Facilities

FRANSACTION DRAWERS



- Large Transfer Area Handles Beverages Cases & Gallon Containers
- Designed For Installation In Up To 4 1/2" Thick Walls
- Interlocking Lid Prevents Physical Contact Between Operator & Customer
- Easy Reach Design Allows Quick Access For Walk-Up & Drive-Up Customers Or Mobility Impaired Customers
- Includes High-Rise Change Tray Model #SPT792
- Optional Accessory For Models #SPT300 & #SPT301: Free-Standing Cup Holder Model #SPT199
- Both Models Include A UL® Level 3 Bullet Resistant Faceplate Insert
- Model #SPT301 Is A Left Hand Version Of Model #SPT300

- Full-Length, Sliding Upper Deal Tray For Low Profile Items, Documents Or Payment Transactions
- Large Capacity, Direct Pass-Thru Area For Easy Access & Transfer Of Large Items
- Secured Interlock System Prevents Simultaneous Opening Of Both Doors
- Includes Trim Kit & Keyed Lock
- Designed For Installation In Up To 8" Thick Walls
- Flexible Design To Accommodate A Variety Of Applications
- UL® Level 3 Bullet Resistant Material Throughout The Front Door, Rear Door & Front Of Sliding Tray



MODEL #SPT355

Package Passer

MODEL #	Overall Dimensions	FRAME FACE	Transfer Area	WALL OPENING	WEIGHT (LBS)
SPT300	21 3/4"W x 16 3/4"D x 14 15/16"H	21 3/4"W x 12 15/16"H	18 15/64"W x 14 9/32"D x 9 1/2"H	22"W x 13 1/4"H	65 +/-
SPT301	21 3/4"W x 16 3/4"D x 14 15/16"H	21 3/4"W x 12 15/16"H	18 15/64"W x 14 9/32"D x 9 1/2"H	22"W x 13 1/4"H	65 +/-
SPT355	16"W x 25"D x 20 5/8"H	16"W x 20 1/2"H	13 9/16"W x 23 5/8"D x 14 7/8"H	16 1/4"W x 20 3/4"H	117 +/-

Duo Series Drawers Are An Ideal Solution For Pharmacies, Convenience Stores, Correctional Facilities, Law Enforcement & Government Facilities





MODEL #SPT183

MODEL #SPT155

- Full-Length Locking, Sliding Upper Deal Tray
 Model #SPT145 & #SPT183 Are Designed For Installation In Up To 4 1/2" Thick Walls
- Model #SPT155 Is Designed For Installation In Up To 8" Thick Walls
- Large Transfer Area
- Optional Accessories: WeatherGuard Frame Model #SPT532 (Model #SPT145) WeatherGuard Frame Model #SPT667 (Model #SPT183)
- WeatherGuard Frame Model #SPT571 (Model #SPT155)

 All Models Include A UL® Level 3 Bullet Resistant Faceplate Insert 						
MODEL #	OVERALL DIMENSIONS	FRAME FACE	Transfer Area	WALL OPENING	WEIGHT (LBS)	
SPT145	16"W x 21"D x 10"H	16"W x 10"H	13 1/2"W x 6 3/8"D x 6 5/8"H	16 1/4"W x 10 1/4"H	67 +/-	
SPT183	16"W x 21"D x 15"H	16"W x 15"H	13 1/2"W x 6 3/8"D x 11 5/8"H	16 1/4"W x 15 1/4"H	85 +/-	
SPT155	16"W x 25"D x 20 1/2"H	16"W x 20 1/2"H	13 1/2"W x 9"D x 15 1/2"H	16 1/4"W x 20 3/4"H	117 +/-	



MODEL #SPT145

LC Series Drawers Are An Ideal Solution For Correctional Facilities, Law Enforcement, Weapons Transfer & Government Facilities



MODEL #	OVERALL DIMENSIONS	FRAME FACE	Transfer Area	WALL OPENING	WEIGHT (LBS)
SPT336	36"W x 16 3/4"D x 12"H	37 3/8"W x 14"H	32 5/8"W x 13 1/4"D x 9 9/16"H	36 1/8"W x 12 1/8"H	95 +/-
SPT360	60"W x 16 3/4"D x 12"H	61 3/8"W x 14"H	56 5/8"W x 13 1/4"D x 9 9/16"H	60 1/8"W x 12 1/8"H	190 +/-



ITERCOM SYSTEM

Ш

 ∞



MODEL #SPT158 MODEL #SPT159

Sliding Deal Trays

- Perfect Security Solution For Cashier Windows Or Other Secured Areas
- Models #SPT100, #SPT158 & #SPT159 Are Stationary For Installation In Counter Tops
- Model #SPT094 Features A Stationary Base & Sliding Tray For Installation In Counter Tops
- All Models Have A Curved Interior For Easy Coin & Currency Removal

MODEL #	Overall Dimensions	Transfer Area	COUNTER TOP CUT-OUT	WEIGHT (LBS)
SPT100	10"W x 8 1/8"D x 1 5/8"H	8"W x 6 3/4"D x 1 9/16"H	8 1/4"W x 7 1/8"D x 1 7/8"H	3 +/-
SPT158	12"W x 9 1/4"D x 1 5/8"H	10"W x 8"D x 1 9/16"H	10 1/4"W x 8 1/4"D x 1 13/16"H	4 +/-
SPT159	14"W x 12"D x 2"H	12"W x 10"D x 1 7/8"H	12 1/4"W x 11"D x 1 7/8"H	5 +/-
SPT094	10"W x 15"D x 1 1/2"H	7 3/4"W x 6 1/4"D x 1 1/4"H	8 1/4"W x 13 1/4"D x 1 9/16"H	7 +/-

All Deal Trays Can Be Customized For Your Specific Requirements

- Touch Panel Switches & Indicator Lights For Power On / Off, Stand-By, Talk / Listen, Volume Control & Push-To-Talk Panel
- Ideal Communication Solution For Gas Station Kiosks, Convenience Stores, Fast Food Windows, Security & Access Control Posts, Parking Kiosks, Toll Booths & Other Secured Environments
- Built-In Noise Canceling Proximity Microphone
- Available As An Add-On Component For The 330 Series Security Drawers With Internal Speakers
- Available In A Kit With Wiring & An External Speaker As An Add-On Component For Any Security Drawer






MODEL #SPT009

- Ideal For Counter-Top Mounting On Both Sides Of Barrier
 Units Can Be Positioned Suitable For Your Environment
- Clear, 2 Way Hands-Free Voice Communication
- · Rugged, Tamper-Resistant Materials





External Speaker Unit Non-Secured Side

INTERCOM PACKAGES

MODEL #SPT010 Intercom System Package Includes:

- (1) Model #SPT001 Intercom Console
- (1) Model #SPT008 External Speaker
- (1) 7 Ft. Wiring Harness

Comes Complete With Intercom Console, External Speaker & 7 Ft. Of Wiring For Connection. Use On Security Drawers Without An Internal Speaker.

MODEL #SPT011 Intercom System Package Includes:

- (1) Model #SPT001 Intercom Console
- (1) Model #SPT005 Heavy-Duty Foot Switch Hands-Free Intercom Components Packaged For Model #SPT330 With Internal Speaker.

MODEL #SPT011 Intercom System Package Includes:

- (1) Model #SPT001 Intercom Console
- (1) Model #SPT008 External Speaker
- (1) Model #SPT005 Heavy-Duty Foot Switch
- (1) 7 Ft. Wiring Harness

Hands-Free Intercom Components For Use With Any Security Drawer.

INTERCOM ACCESSORIES



MODEL #SPT005

Heavy-Duty Foot Switch

10

TRANSACTION DRAWER ACCESSORIES


CUSTOMER CONVENIENCE SHELVES



- Stainless Steel
- Perfect Wall-Mounted Solution For Customer Transaction Areas
- Couple These Shelves With Any Of Our Security Drawers
- Model #SPT203 16"W x 9"D x 5"H / Approx. 8 lbs.
- Model #SPT146 12"W x 8"D x 5 1/2"H / Approx. 5 lbs.

All Convenience Shelves Can Be Customized For Your Specific Requirements

WEATHER GUARD FRAMES





- Stainless Steel Frame With Metal Hinge & Plexiglas Cover
 Designed To Help Protect Transferred Objects From Being Exposed To The Elements
- Model #SPT532 19 13/16"W x 3/4"D x 13 3/8"H / Approx. 6 lbs.
 Model #SPT667 19 13/16"W x 3/4"D x 18 3/8"H / Approx. 8 lbs
- Model #SPT571 19 13/16"W x 3/4"D x 23 3/4"H / Approx. 9 lbs

Free-Standing Cup Holder

- Stainless Steel
- (3) Holes For Beverage Cups
- For Use Inside Of ER Series Model #SPT300 & Model #SPT301 As Well As T-Wall Series Model #SPT198 & Model #SPT319
- 13 5/32"W x 5"D x 2"H / Approx. 4 lbs.



SECURE STORAGE LOCKERS

Large Capacity Storage Cabinets For Organizing & Storing Valuable Belongings & Equipment



- Adjustable ShelvesLocking Swing-Out DoorsDoors Can Be Solid, Mesh Or Plexiglass



All Products Can Be Customized For Your Specific Requirements





RECORD LOG PROCESSING DESKS

STANDARD FEATURES:

- Stainless Steel Over Wood Core Bench Tops
- Stainless Steel Chase Panels
- Leg Levelers

LOWER CABINET OPTIONS:

- Locking Door Storage Cabinets
- Locking Door / Drawer Storage Cabinets
- Trash Cabinets

UPPER CABINET OPTIONS:

- Upper Storage Cabinets With Locking Flip-Up Gas Shock Door
- Monitor Enclosure Cabinets
- LED Task Lights

All Products Can Be Customized For Your Specific Requirements



General Shelving With Or Without HIGH-DENSITY HEAVY-DUTY DRAWERS

GENERAL SHELVING:

Widths - 36" & 48" • Depths - 12", 18" & 24" • Heights - 85" & 97"

GENERAL SHELVING WITH DRAWERS:

Widths - 36" & 48" • Depths - 18" & 24" • Heights - 85" & 97"

- Drawers Can Be Moved On Unit
- · Additional Drawers & Shelves Can Be Purchased As Single Or Multiple Units
- Drawers Include Dividers & Partitions (Excludes 9" Drawers)
- Add-On Drawer Kits Include: Drawer, Drawer Slides & Handle
 Snap-Bracket Shelf Support For Quick Shelf Changes
- Shelves Are Re-Enforced With Box Design For Greater Weight Capacities
- Shelves Available In Gray Or White Only
- Sliding Or Fixed Dividers Are Available For Sub-Dividing Shelves
- No Mounting Kit Required To Install Drawers
- · Back Panels & End Panels Included On Drawer Units
- Add-On Units & Back-To-Back Double Rows Available



BULK SHELVING

WIDTHS - 48", 72" & 96" • DEPTHS - 24", 36" & 48" • HEIGHT - 84"

- Easy To Assemble Rivet-Style Shelving
- Waterfall Wire Mesh Shelving Is Standard
- Add-On Units & Back-To-Back Double Rows Available

MANY SECURE CASEWORK CABINETRY, STORAGE & SHELVING CONFIGURATIONS AVAILABLE. CALL SHURE FOR MORE DETAILS!

Terms & Conditions

PRICES AND CONDITIONS

The prices & specifications shown herein are subject to change without notice, except when covered by specific contracts. Prices in effect at time of shipment will apply. All orders are subject to acceptance by Shure Manufacturing Corporation, prior to sale & to availability of materials. In addition, orders are accepted subject to strikes, accidents & other delays unavoidable or beyond our control. Clerical errors are subject to corrections. Items are subject to cancellation by Shure Manufacturing Corporation without notice.

QUOTATIONS

All quotations made are informational only & do not constitute a contract. Prices are based upon our understanding of your requirements & specifications.

<u>TAX</u> Federal, municipal, state sales and / or use taxes will be charged where applicable unless your tax exemption certificate is furnished to us.

CREDIT TERMS

Regular terms of sale are cash in advance. However, a customer's credit rating or credit experience may be satisfactory for open account transactions. New customers wishing to apply for an open account should submit a credit application with the most recent audited financial statement & four current trade references. Contact Shure to receive a credit application. Banks do not make suitable trade references. Allow sufficient time for credit check. The minimum order charge is \$15.00. Shure will accept credit cards (Visa & MC) & all credit card charges in excess of \$3,000 will be subject to a 3% convenience charge. Orders for "Custom Manufacturing" or "Engineered-To-Order" may require an advance payment deposit or complete payment prior to shipment. Shure's quotation will specify the deposit requirements. These orders are non-cancelable after production has begun & are non-returnable. Shure's sales quotations will outline the advance payment requirements.

INTERNATIONAL CREDIT TERMS

International exports will require full payment in advance of shipment unless otherwise negotiated & agreed to by Shure.

SHIPMENTS

All shipments are made F.O.B. Shure Manufacturing Corporation, 1901 West Main Street, Washington, MO 63090. Transportation charges will be prepaid & added to your invoice unless otherwise requested & agreed upon. A service charge of \$10.00 will be added for all prepaid shipments. At times it becomes necessary to back-order items to give you the best service. We do not assume any responsibility for extra transportation charges. All shipments include the necessary hardware to completely assemble each unit.

CANCELLATIONS

Orders canceled after being entered & are in the process of being manufactured are subject to a cancellation charge. Engineered to order "custom requests" are non-cancelable.

TITLE AND RISK OF LOSS

Title & risk of loss passes to Buyer upon delivery of the goods at the delivery point. As collateral security for the payment of the purchase price of the goods, buyer hereby grants to seller a lien on & security interest in & to all of the right, title & interest of buyer in, to & under the goods, wherever located & whether now existing or hereafter arising or acquired from time to time, & in all accessions thereto & replacements or modifications thereof, as well as all proceeds (including insurance proceeds) of the foregoing. The security interest granted under this provision constitutes a purchase money security interest under the Missouri Uniform Commercial Code.

Return shipments will not be accepted without written authorization from the company. Returned merchandise is subject to a minimum 15% handling & restocking charge, plus necessary repair and / or refinishing costs. No cash refunds. Reimbursements will be given as credit to customer's account. All return shipments must be shipped freight prepaid.

All Shure products are carefully & securely packed in accordance with carrier requirements. The receipt of our merchandise by the transportation company ends Shure's responsibility. However, for your protection, before accepting any shipment, examine it carefully. If there is evidence of damage or shortage, insist that the delivering carrier make suitable notation to that effect on the freight bill before signing. If, after receipt of shipment, concealed damage is discovered, notify the carrier immediately.

Caution: When you give the delivering carrier a clear receipt for a shipment in which there is damage or shortage, the carrier is relieved of further responsibility.

Any claim for damage, shortage, loss or delay must be filed by you with the delivering carrier within ten days of receipt of shipment. Your recourse is with the delivering carrier.

ORDER DELAYS

Any order that production has begun may be subject to warehouse storage fees.

CUSTOMER INITIATED ORDER REVISIONS

Customer initiated order revisions will be reviewed on a case-by-case basis to determine if additional charges or manufacturing lead time extensions are required. Contact your Shure Regional Sales Manager with any questions regarding order revisions. Order revision requests initiated by the customer must be submitted by the customer in writing. These requests will be reviewed on a case-by-case basis to determine the feasibility, applicable additional charges, and whether or not manufacturing lead time extension is required. Contact Shure Customer Service with any questions regarding order revisions.

CUSTOMER INITIATED SHIPPING DELAYS

Customer initiated shipping delays within 14 days of the originally established shipping date will result in an invoice issued for payment. The invoice will be issued on the originally established shipping date with actual freight charges to be billed after the order is shipped. Additionally, storage charges will apply for all orders delayed greater than 14 days from the originally established shipping date.

REQUEST FOR A RETURN OF GOODS

Shure will not accept any returned shipments without pre-authorization by Shure. Requests to return products will be reviewed & determined on a case-by-case basis. All Shure orders are painted to customer's purchase order specifications. & generally "configured" to the customer's facility requirements. Any authorized returned products are subject to a restocking & handling charge, plus any necessary repair and / or refurbishing costs. There are absolutely no cash refunds. Any authorized refunds will be issued as a credit. Any authorized return shipments must be shipped directly to Shure's Washington, Missouri location freight prepaid.

Shure Manufacturing Corporation is committed to providing high quality products & appreciates receiving purchase orders with sufficient production lead-times. All Shure products current production schedule. Requests for expedited delivery intervals will be evaluated on a case-by-case basis & are dependent upon product type, quantity ordered & current production schedule. Note: Product design & specifications of all products in this catalog or quote are subject to change without notice.

INVOICE PAYMENT

Shure invoices are payable in US Dollars.

PRODUCT WARRANTY

Shure Manufacturing Corporation warrants to the purchaser of this product that should it fail, due to defective manufacturing workmanship and/or materials, within 13 months from the date of shipment (or within 12 months of the date of installation in the case of resold products) Shure will repair or replace, at Shure's discretion, any defective part or unit without charge for the replaced part or unit.

Shure will furnish a replacement part, or unit, warranted for the remainder of the original warranty period, FOB Washington, Missouri. This Warranty does not include labor or any other costs incurred for routine servicing, maintenance servicing, replacing, removing, shipping or handling of either defective or replacement parts, or the complete unit, except as stated above. This Warranty also excludes all costs associated with removal, dismantling, shipping and installation of any replacement parts. Purchaser is responsible for any removal, freight, and installation or handling charges of the installing dealer, distributor or contractor. These costs may be covered by a separate warranty provided by the installing/selling dealer, distributor or contractor.

For resold products, in establishing the date of installation used in determination of the starting date for the 12 month term of this Warranty, proof of the original installation date must be presented (Purchaser must present original records that establish the installation date of the unit), otherwise the effective period of the Warranty will be based upon the date of shipment to the installing/selling dealer, distributor or contractor.

This Limited Warranty applies only if the product is installed in compliance with manufacturer instructions, local installation and building codes, maintained according to manufacturer instructions and operated under normal working conditions and good trade practices. This Warranty does not cover damage caused by accident, negligence or abuse; operating the product in an negligent manner; modification, alteration, repair or service of the product by anyone other than an agent of the installing/selling dealer, distributor or contractor; failure to provide proper maintenance and service to the product according to the Manufacturer's instructions; installation of the product in a manner contrary to the instructions of the Manufacturer; acts of God.

To Obtain Warranty Parts And/Or Replacement Service:

- 1. Purchaser must notify the installing/selling dealer, distributor or contractor within the applicable Warranty period. The installing/selling dealer, distributor or contractor may then contact, on Purchaser's behalf, or have Purchaser contact direct, Shure to discuss the failure circumstances, provide Limited Warranty documentation and possible remedial action.
- 2. If replacement is required, Purchaser must furnish billing information for the replacement parts before shipment from Shure. Upon return of the replaced unit, in the replacement shipping material to Shure Manufacturing Corporation, 1901 West Main Street, Washington, MO 63090, and at Shure's discretion after inspection of the returned parts or unit, Purchaser's Warranty account will be credited for the amount of the replacement part(s) or unit. Shure reserves the right to reject any Warranty damage claims resulting from accident, negligence or abuse; operating the product in an negligent manner; modification, alteration, repair or service of the product by anyone other than an agent of the installing/selling dealer, distributor or contractor; failure to provide proper maintenance and service to the product according to the Manufacturer's instructions; installation of the product in a manner contrary to the instructions of the Manufacturer; acts of God.
- 3. If the replaced part(s) or unit is (are) not received within 30 days of replacement part shipping, or at Shure's discretion, all Limited Warranty failure conditions are not met, Purchaser will be billed for the full amount of the replacement part(s) or unit. Any order that production has begun may be subject to warehouse storage fees.





Questions Regarding The Terms And Conditions Of This Limited Warranty May Be Addressed To:

Shure Manufacturing Corporation
1901 West Main Street • Washington, MO 63090



1.800.227.4873, EXT. 7167 WWW.SHURESAFE.COM SHURESAFESALES@SHUREUSA.COM 1901 West Main Street • Washington, MO 63090

Version 4 / 10-1-2022 © 2022 Shure Manufacturing Corporation



NOTE: Product design and specifications of all products in this catalog are subject to change without notice.

NOTE: The images and colors illustrated in this catalog are representational only and may vary from actual powder coat paint color.